CELL CALCIUM

Cell Calcium (1995) 17, 469–472
© Pearson Professional Ltd 1995

Subject Index to Volume 17

A

Acetylcholine-induced Ca^{2+} release and glucose-stimulated Ca^{2+} sequestration interplay at the endoplasmic reticulum in rat pancreatic β-cells, 21

Adipokinetic hormones, signal transduction of, involves Ca^{2+} fluxes and depends on extracellular Ca^{2+} to potentiate cAMP-induced activation of glycogen phosphorylase, 459

Agonist-induced propagation of calcium waves in astrocytes, mathematical model of, 53

Alveolar sacs share some but not all characteristics with sarcoplasmic reticulum, 335

Arachidonate and other fatty acids mobilize Ca^{2+} ions and stimulate β-glucuronidase release in a Ca^{2+}-dependent fashion from undifferentiated HL-60 cells, 399

Astrocytes, mathematical model of agonist-induced propagation of calcium waves in, 53

Astroglia, receptor-mediated calcium signals in: multiple receptors, common stores and all-or-nothing responses, 187

ATP and UTP, Ca^{2+}-mobilizing receptors for (review), 111

Axoplasm (*Myxicola*), calcium diffusion coefficient in, 422

B

β-glucuronidase release in a Ca^{2+}-dependent fashion from undifferentiated HL-60 cells, arachidonate and other fatty acids mobilize Ca^{2+} ions and stimulate, 399

BK, the effect of, on release and filling of the non-cytosolic Ca^{2+} pools intracellular (multiple) Ca^{2+} pools exist in human foreskin fibroblast cells, 41

C

Ca^{2+}-ATPase (human erythrocyte), thapsigargin protects from proteolysis, 14

Ca^{2+}-ATPase and inositol 1,4,5-trisphosphate receptor distribution in human platelet membranes, 65

Ca^{2+} channels (L-type) in vivo labelling of, by fluorescent dihydropyridine: correlation between ontogenesis of the channels and the acquisition of neural competence in ectoderm cells from *Pleurodeles waltl* embryos, 216

Ca^{2+} concentration, changes in, in phorbol ester and thapsigargin treated glioma C6 cells. The role of protein kinase C in regulation of Ca^{2+} entry, 207

Ca^{2+} entry into colonic epithelial cells by NO and cGMP, possible regulation of capacitative, 250

Ca^{2+}-mobilizing receptors for ATP and UTP (review), 111

Ca^{2+} oscillations (intracellular) and membrane potential fluctuations in intact human T lymphocytes: role of K^+ channels in Ca^{2+} signaling, 287

Ca^{2+} oscillations (intracellular) in a new model for non-excitable cells, chaos in, 225

Ca^{2+} oscillations in mouse oocytes, thapsigargin induces cytoplasmic free, 154

$[Ca^{2+}]_i$ oscillations in rat chromaffin cells: frequency and amplitude modulation by Ca^{2+} and $InsP_3$, 367

Ca^{2+} outflow and human placental lactogen release, simultaneous measurement of, from placental explants, 384

Calcium buffer capacity (cytoplasmic) determined with Nitr–5 and DM-nitrophen, 409

Calcium buffers, introduction of, into the cytosol of *Dictyostelium discoideum* amoebae alters cell morphology and inhibits chemotaxis, 97

Calcium diffusion coefficient in *Myxicola* axoplasm, 422

Calcium influx in U937 cells differentiated by treatment with dibutyryl cAMP, increased capacity for store regulated, 345

Calcium permeable ion channel, IP_3 receptor purified from liver plasma membrane is an (1,4,5)IP_3 activated and (1,3,4,5)IP_4 inhibited, 141

Calcium release, IBMX induced, from intracellular stores in rat sensory neurones, 197

Calcium signals (receptor-mediated) in astroglia: multiple receptors, common stores and all-or-nothing responses, 187

Calcium transients, differences in features of, between the nucleus and the cytosol in cultured heart muscle cells: analyzed by confocal microscopy, 165

Calcium waves in astrocytes, mathematical model of agonist-induced propagation of, 53

Calmodulin (nuclear) responds rapidly to calcium influx at the plasmalemma, 233

cAMP-induced activation of glycogen phosphorylase, signal transduction of adipokinetic hormones involves Ca^{2+} fluxes and depends on extracellular Ca^{2+} to potentiate, 459

cGMP and NO, possible regulation of capacitative Ca^{2+} entry

into colonic epithelial cells by , 250
Choroid plexus (rat) epithelial cells by acting on 5-HT_{2C} receptors, serotonin elevates intracellular Ca^{2+} in rat, 120
Chromaffin cells (rat), $[Ca^{2+}]_i$ oscillations in: frequency and amplitude modulation by Ca^{2+} and $InsP_3$, 367
Complement component C9-dependent cytosolic free Ca^{2+} rise and recovery in neutrophils, 279
Confocal microscopy analysis of the differences in features of calcium transients between the nucleus and the cytosol in cultured heart muscle cells, 165
Confocal microspectrofluorometry and Indo–1 for quantitative determination of free calcium in subceilular compartments, 354

D

Dibutyryl cAMP, increased capacity for store regulated calcium influx in U937 cells differentiated by treatment with, 345
Dictyostelium discoideum amoebae, introduction of calcium buffers into the cytosol of, alters cell morphology and inhibits chemotaxis, 97
Dihydropyridine (fluorescent) labelling of L-type Ca^{2+} channels in vivo, correlation between ontogenesis of the channels and the acquisition of neural competence in ectoderm cells from *Pleurodeles waltl* embryos, 216

E

Ectoderm cells from *Pleurodeles waltl* embryos, in vivo labelling of L-type Ca^{2+} channels by fluorescent dihydropyridine: correlation between ontogenesis of the channels and the acquisition of neural competence in, 216
Ehrlich carcinoma cells, calcium pools in. A major, high affinity Ca^{2+} pool is sensitive to both inositol 1,4,5-trisphosphate and thapsigargin, 431
Endoplasmic reticulum in rat pancreatic β-cells, interplay of glucose-stimulated Ca^{2+} sequestration and acetylcholine-induced Ca^{2+} release at the, 21
Endothelin-1-induced calcium mobilization in cultured canine tracheal smooth muscle cells, effect of phorbol ester, 129
Epidermal growth factor-induced membrane depolarization, role of, and resulting calcium influx in osteoblastic cell proliferation, 301
Epithelial (colonic) cells, possible regulation of capacitative Ca^{2+} entry into, by NO and cGMP, 250
Epithelial (human intrahepatic biliary) cell lines, purinoceptor P_{2U} identification and function in, 375
Epithelial (human) cells, the regulation of leukotriene D_4-induced calcium influx involves protein tyrosine phosphorylation, 177
Erythrocyte (human) Ca^{2+}-ATPase from proteolysis, thapsigargin protects, 14
Exocytosis in *Paramecium*, subplasmalemmal Ca^{2+} stores of probable relevance for, 335

F

Fibroblast cells (human foreskin) multiple intracellular Ca^{2+} pools exist in: the effect of BK on release and filling of the non-cytosolic Ca^{2+} pools, 41

G

Glioma C6 cells, changes in Ca^{2+} concentration in phorbol ester and thapsigargin treated. The role of protein kinase C in regulation of Ca^{2+} entry, 207
Glucose-stimulated Ca^{2+} sequestration and acetylcholine-induced Ca^{2+} release at the endoplasmic reticulum in rat pancreatic β-cells, interplay of, 21
Glycogen phosphorylase, signal transduction of adipokinetic hormones involves Ca^{2+} fluxes and depends on extracellular Ca^{2+} to potentiate cAMP-induced activation of, 459
$GPIP_2$ 'caged', IP_3-mediated cytosolic and nuclear calcium elevation in NRK-52E cells using, 453

H

Heart muscle cells (cultured), confocal microscopy analysis of the differences in features of calcium transients between the nucleus and the cytosol in, 165
Heart sarcolemmal Na^+/Ca^{2+}-exchanger preparation, the 70 kD component of the, is the C-terminal portion of the protein, 263
HL-60 (undifferentiated) cells, arachidonate and other fatty acids mobilize Ca^{2+} ions and stimulate β-glucuronidase release in a Ca^{2+}-dependent fashion from, 399
Hypoxia (chemical) increases cytosolic Ca^{2+} and oxygen free radical formation, 307

I

IBMX induces calcium release from intracellular stores in rat sensory neurones, 197
Immunological stimulation of single rat basophilic leukemia RBL-2H3 cells co-activates Ca^{2+}-entry and K^+-channels, 71
Indo–1 and confocal microspectrofluorometry for quantitative determination of free calcium in subcellular compartments, 354
Inositol 1,4,5-trisphosphate and thapsigargin, a major, high affinity Ca^{2+} pool in Ehrlich carcinoma cells is sensitive to both, 431
inositol 1,4,5-trisphosphate receptor and Ca^{2+}-ATPase distribution in human platelet membranes, 65
Inositol 1,4,5-trisphosphate receptor IV (a receptor of the type II family), rat basophilic leukemia cells as model system for: functional comparison and immunological detection, 239
Inositol 1,4,5-trisphosphate-induced Ca^{2+} release, a re-evaluation of the apparent effects of luminal Ca^{2+} on, 393
Inositol phosphate production and cytosolic free Ca^{2+} concentrations in N1E-115 neuroblastoma cells, stimulation of platelet-activating factor (PAF) receptors increases, 442
Inositol tetrakisphosphate-activated Ca^{2+} influx pathway refilling inositol trisphosphate-sensitive Ca^{2+} stores in hamster eggs, evidence for, 1
Inositol trisphosphate-sensitive and -insensitive Ca^{2+} stores in permeabilized pancreatic acinar cells, differences in uptake, storage and release properties between , 85
Inositol trisphosphate-sensitive Ca^{2+} stores in hamster eggs, evidence for inositol tetrakisphosphate-activated Ca^{2+} influx pathway refilling, 1
$InsP_3$ and Ca^{2+}, frequency and amplitude modulation by: Intracellular (multiple) Ca^{2+} pools exist in human foreskin fibroblast cells: the effect of BK on release and filling of the non-cytosolic Ca^{2+} pools, 41
Intracellular Ca^{2+} stores in rat parotid acinar cells, staurosporine enhances Ca^{2+} entry induced by depletion of, 32
IP_3 receptor purified from liver plasma membrane is an (1,4,5)IP_3 activated and (1,3,4,5)IP_4 inhibited calcium permeable ion channel, 141

IP_3-mediated cytosolic and nuclear calcium elevation in NRK-52E cells using 'caged' $GPIP_2$, 453

K

K^+ channels, role of, in Ca^{2+} signaling: intracellular Ca^{2+} oscillations and membrane potential fluctuations in intact human T lymphocytes, 287
K^+-channels and Ca^{2+}-entry co-activated by immunological stimulation of single rat basophilic leukemia RBL-2H3 cells, 71

L

Lactogen (placental human) release from placental explants, simultaneous measurement of ^{45}Ca outflow and, 384
Leukemia (basophilic) cells (rat) as model system for inositol 1,4,5-trisphosphate receptor IV, a receptor of the type II family: functional comparison and immunological detection, 239
Leukemia RBL-2H3 cells (single rat basophilic), immunological stimulation of, co-activates Ca^{2+}-entry and K^+-channels, 71
Leukotriene D_4-induced calcium influx in human epithelial cells involves protein tyrosine phosphorylation, regulation of, 177
Liver plasma membrane IP_3 receptor is an (1,4,5)IP_3 activated and (1,3,4,5)IP_4 inhibited calcium permeable ion channel, 141
Luminal Ca^{2+} on inositol 1,4,5-trisphosphate-induced Ca^{2+} release, a re-evaluation of the apparent effects of, 393
Lymphocytes (human T), intracellular Ca^{2+} oscillations and membrane potential fluctuations in intact: role of K^+ channels in Ca^{2+} signaling, 287

M

Mathematical model of agonist-induced propagation of calcium waves in astrocytes, 53
Model (new) for non-excitable cells, chaos in intracellular Ca^{2+} oscillations, 225
Model system, for inositol 1,4,5-trisphosphate receptor IV, a receptor of the type II family using rat basophilic leukemia cells: functional comparison and immunological detection, 239

N

Na^+/Ca^{2+}-exchanger preparation (heart sarcolemmal), 70 kD component of the, is the C-terminal portion of the protein, 263
Neural competence (acquisition of) in ectoderm cells, 216
Neuroblastoma (N1E-115) cells, stimulation of platelet-activating factor (PAF) receptors increases inositol phosphate production and cytosolic free Ca^{2+} concentrations in, 442
Neurones, sensory (rat), IBMX induces calcium release from intracellular stores in, 197
Neutrophils, complement component C9-dependent cytosolic free Ca^{2+} rise and recovery in, 279
Nitr–5 and DM-nitrophen, cytoplasmic calcium buffer capacity determined with, 409
NO and cGMP, possible regulation of capacitative Ca^{2+} entry into colonic epithelial cells by , 250
NRK-52E cells, IP_3-mediated cytosolic and nuclear calcium elevation in, using 'caged' $GPIP_2$, 453

O

Ontogenesis of Ca^{2+} channels in ectoderm cells, 216
Oocytes (hamster), evidence for inositol tetrakisphosphate-activated Ca^{2+} influx pathway refilling inositol trisphosphate-sensitive Ca^{2+} stores in, 1
Oocytes (mouse), thapsigargin induces cytoplasmic free Ca^{2+} oscillations in, 154
Osteoblast-like primary cells, S-phase independence of parathyroid hormone-induced calcium signalling in, 270
osteoblastic cell proliferation, role of epidermal growth factor-induced membrane depolarization and resulting calcium influx in, 301
Oxygen free radical formation, chemical hypoxia increases cytosolic Ca^{2+} and , 307

P

Pancreatic β-cells (rat), interplay of glucose-stimulated Ca^{2+} sequestration and acetylcholine-induced Ca^{2+} release at the endoplasmic reticulum in, 21
Pancreatic acinar cells (permeabilized), inositol trisphosphate-sensitive and -insensitive Ca^{2+} stores in, differences in uptake, storage and release properties between , 85
Parathyroid hormone-induced calcium signalling in primary osteoblast-like cells, S-phase independence of, 270
Parotid acinar cells (rat), staurosporine enhances Ca^{2+} entry induced by depletion of intracellular Ca^{2+} stores in rat, 32
pH (cytosolic) and $[Ca^{2+}]$ in resting and activated single human platelets, spatial distribution and temporal change in, 317
Phorbol ester and thapsigargin treated glioma C6 cells, changes in Ca^{2+} concentration in. The role of protein kinase C in regulation of Ca^{2+} entry, 207
Phorbol ester, effect of, on phosphoinositide hydrolysis and calcium mobilization induced by endothelin-1 in cultured canine tracheal smooth muscle cells, 129
Phosphoinositide hydrolysis and calcium mobilization induced by endothelin-1 in cultured canine tracheal smooth muscle cells, effect of phorbol ester on, 129
Placental (human) lactogen release from placental explants, simultaneous measurement of ^{45}Ca outflow and, 384
Plasmalemma, nuclear calmodulin responds rapidly to calcium influx at the, 233
Platelet membranes (human), distribution of plasma membrane Ca^{2+}-ATPase and inositol 1,4,5-trisphosphate receptor in, 65
Platelet-activating factor (PAF) receptors, stimulation of, increases inositol phosphate production and cytosolic free Ca^{2+} concentrations in N1E-115 neuroblastoma cells, 442
Platelets (human), resting and activated single, spatial distribution and temporal change in cytosolic pH and $[Ca^{2+}]$ in, 317
Protein kinase C in regulation of Ca^{2+} entry, role of: changes in Ca^{2+} concentration in phorbol ester and thapsigargin treated glioma C6 cells, 207
Protein tyrosine phosphorylation involvement in the regulation of leukotriene D_4-induced calcium influx in human epithelial cells, 177
Purinoceptor P_{2U} identification and function in human intrahepatic biliary epithelial cell lines, 375

Q

Quantitative determination of free calcium in subcellular compartments, as probed by Indo–1 and confocal microspectrofluorometry, 354

R

Receptor-mediated calcium signals in astroglia: multiple receptors, common stores and all-or-nothing responses, 187
Repolarization in type I vestibular hair cells of rats, transient increase in cytosolic free calcium evoked by, 327

S

S-phase independence of parathyroid hormone-induced calcium signalling in primary osteoblast-like cells, 270
Serotonin elevates intracellular Ca^{2+} in rat choroid plexus epithelial cells by acting on 5-HT_{2C} receptors, 120
Smooth muscle cells (cultured canine tracheal), effect of phorbol ester on phosphoinositide hydrolysis and calcium mobilization induced by endothelin-1 in, 129
Staurosporine enhances Ca^{2+} entry induced by depletion of intracellular Ca^{2+} stores in rat parotid acinar cells, 32
Subplasmalemmal Ca^{2+} stores of probable relevance for exocytosis in *Paramecium*. Alveolar sacs share some but not all characteristics with sarcoplasmic reticulum, 335

T

Thapsigargin and inositol 1,4,5-trisphosphate, a major, high affinity Ca^{2+} pool in Ehrlich carcinoma cells is sensitive to both, 431
Thapsigargin and phorbol ester treated glioma C6 cells, changes in Ca^{2+} concentration in. The role of protein kinase C in regulation of Ca^{2+} entry, 207
Thapsigargin induces cytoplasmic free Ca^{2+} oscillations in mouse oocytes, 154
Thapsigargin protects human erythrocyte Ca^{2+}-ATPase from proteolysis, 14
Transient increase in cytosolic free calcium evoked by repolarization in type I vestibular hair cells of rats, 327

U

U937 cells differentiated by treatment with dibutyryl cAMP, increased capacity for store regulated calcium influx in, 345
UTP and ATP, Ca^{2+}-mobilizing receptors for (review), 111

V

Vestibular hair cells of rats (Type I), transient increase in cytosolic free calcium evoked by repolarization in, 327

CELL CALCIUM

Cell Calcium (1995) 17, 473–474
© Pearson Professional Ltd 1995

Author Index to Volume 17

A

Abercrombie RF, 409, 422
Al-Baldawi NF, 409, 422
Allen JM, 345
Angiboust J-F, 354
Ariyoshi H, 317

B

Barańska J, 207
Barsic M, 307
Baumgarten LB, 41
Beinborn M, 375
Benedetti A, 431
Bewaji CO, 14
Bischof G, 250
Bolsover SR, 233
Bonhomme A, 354
Bootman MD, 239
Borle AB, 307
Bos MP, 270
Bredt DS, 250
Brenman J, 250
Brown PD, 120

C

Campbell AK, 279
Cand F, 442
Carafoli E, 263
Casteels R, 239
Chaban V, 207
Chabbert C, 327
Chang S, 453
Chen Y-C, 129
Cheng SH, 375
Conigrave AD, 111, 399
Cuthbertson KSR, 154
Czarny M, 207

D

D'Andrea P, 367
Dainese P, 263
Dar O, 71
Davies EV, 279
Davis MA, 453
Davis W, 345
Dawson AP, 14
De Pont JJHHM, 85
De Smedt H, 239
Dean WL, 65
Diserbo M, 442
Droogmans G, 71
Duprat A-M, 216
Dziak R, 301

E

Elliott AC, 120
Engström M, 177

F

Fang SL, 375
Fleischer S, 141
Fujita S, 165
Fulceri R, 431

G

Galli C, 263
Gamberucci A, 431
Giunti R, 431
Griguer C, 327
Grohovaz F, 367
Grönroos E, 177
Grubman SA, 375
Guerini D, 263

H

Hallett MB, 279
Halliwell EL, 345
Hamakawa N, 21
Holtzclaw L, 53
Hsieh J-T, 129

I

Iwata T, 263

J

Jefferson DM, 375
Jiang L, 111, 399

K

Klauke N, 335

L

Laffafian I, 279
Länge S, 335
Larter R, 225
Lawrence YM, 154
Lebrun P, 384
Leclerc C, 216
Lee DW, 375
Lee HC, 41
Lehouelleur J, 327
Loza J, 301

M

Machen TE, 250
Manfait M, 354
Marcolongo P, 431

Marzec N, 301
Matsumoto Y, 32
Mayrleitner M, 141
McCarthy KD, 187
Meuris S, 384
Millot J-M, 354
Minamikawa T, 165
Missiaen L, 239
Miyazaki S, 1
Moreau M, 216

N

Nàgy P, 85
Nilius B, 71

O

Ong R, 129

P

Packham DE, 399
Parys JB, 239
Pecht I, 71
Perrone RD, 375
Pingret L, 354
Pinon J-M, 354
Plattner H, 335

Q

Quinton TM, 65

R

Robyn C, 384
Rogers LC, 375
Roth BJ, 53
Russell JT, 53

S

Sabała P, 207
Sage SO, 345
Salzman EW, 317
Sans A, 327
Schäfer R, 141
Schepers CCJ, 459
Schippert Å, 177
Schlatterer C, 97
Shao Y, 187
Shen P, 225
Shirakawa H, 1
Shuttleworth TJ, 393
Sienaert I, 239
Simasko S, 301
Sjölander A, 177
Soltoff SP, 375
Sorrentino V, 431
Sugiya H, 32

T

Takahashi A, 165
Tanimura A, 32
Tarroni P, 431
Tojyo Y, 32
Torok K, 233
Trump BF, 453
Tsai C-T, 129
Tsao H-L, 129

U

Unterweger N, 97
Usachev Y, 197

V

Van de Put FHMM, 85
Van der Horst DJ, 459
Van Marrewijk WJA, 459
Vanbellinghen A-M, 384
Verdetti J, 442
Verheugen JAH, 287
Verkhratsky A, 197
Vijverberg HPM, 287
Villereal ML, 41
Vroemen SF, 459

W

Watson JA, 120
Willems PHGM, 85
Wiltink A, 270
Wolkoff LI, 375

Y

Yada T, 21
Yagodin SV, 53
Yang CM, 129

Z

Ziade M, 442
Zimprich F, 233